





APC Replacement Battery Cartridge #164 with 2 Year Warranty

APCRBC164

Overview

Lead time Usually in Stock

Main

Main Input Voltage	12 V DC
Product or Component Type	Replacement battery cartridge
Battery Type	Lead-Acid battery
Provided Equipment	Installation guide

Batteries & Runtime

Battery Slots Empty	0
Included Battery Modules	0
Battery Voltage	12 V
RBC Quantity	1

Physical

Color	Black
Height	4.1 in (10.5 cm)
Width	5.9 in (15.1 cm)
Depth	2.6 in (6.5 cm)
Net Weight	6.6 lb(US) (3 kg)
Mounting Mode	Not rack-mountable

Output

Battery Capacity 9.4 Ah

Environmental

Ambient Air Temperature for Operation	32113 °F (045 °C)
Operating altitude	010000 ft
Relative Humidity	095 % non-condensing
Ambient Air Temperature for Storage	5113 °F (-1545 °C)
Storage altitude	050000 ft (0.000000000015240.0000000000 m)
Storage Relative Humidity	095 % non-condensing

Ordering and shipping details

GTIN	731304346869
Country of origin	PH

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.5 in (8.9 cm)
Package 1 Width	8.4 in (21.3 cm)
Package 1 Length	6.9 in (17.5 cm)
Package 1 Weight	7.7 lb(US) (3.5 kg)
SCC14	10731304346866

Contractual warranty

Warranty 2 years repair or replace



Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Learn more about Green Premium >





Transparency RoHS/REACh

Well-being performance

	Toxic Heavy Metal Free	
⊘	Mercury Free	
⊘	Rohs Exemption Information	Yes

Certifications & Standards

Reach Regulation	REACh Declaration
Eu Rohs Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Environmental Disclosure	Product Environmental Profile
Circularity Profile	End of Life Information