

Schneider OffGrid Portable Power Station 500, 230V, 517Wh Lithiumion, LCD, 2 CEE 7/3 Schuko outlets, Sinewave, 3 USB-A, 2 USB-C, Wireless Charger

PPS500-GR

Overview

Lead time Usually in Stock

Main

Product or component type	Portable power station	
Battery type	Li-lon (Lithium-lon)	
Battery capacity in Wh	517 W.h	
Number of input connectors	(1) 1230 V DC, 10 A, (200 W) (1) 190265 V AC, 0.65 A,	
Number of output connectors	(2) SCHUKO CEE 7, 230 V ,AC(500 W) 50 Hz, sine wave (3) USB type A, 5 V ,DC, 2.4 A(12 W) (1) USB type C, 520 V ,DC, 3 A(60 W) (1) USB type C quick charge, 512 V ,DC, 3 A(18 W) (2) DC5521, 12 V ,DC, 5 A(120 W) (1) wireless charging,DC(15 W)	
Range of product	Schneider OffGrid	

Complementary

Colour	Black and green	
Height	25 cm	
Width	20 cm	
Depth	20.4 cm	
Net weight	5.5 kg	
Product specific application	For Caravan/Camping Power Supply Mobile wireless charging	
Product certifications	CE	
Provided equipment	AC cable 1 car charging cable User manual	
Battery capacity in Wh	517 W.h 500+ cycles with 80% capacity	

Environment

Ambient air temperature for storage	-2070 °C -4158 °F	
Charging temperature	040 °C 32104 °F	
Discharging temperature	-1040 °C 14104 °F	

Rates duty January 2016

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	32.7 cm
Package 1 Width	23.8 cm
Package 1 Length	32.2 cm
Package 1 Weight	7.1 kg

Contractual warranty

Warranty 2 years repair or replace

28 Mar 2025



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

Environmental Data explained >

How we assess product sustainability >

∅ Environmental footprint

Environmental Disclosure

Product Environmental Profile

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	End of Life Information
Take-back	No

PPS500-GR

Image of product / Alternate images

Alternative



